


Convert words

[crayon-6a9d576452df6025193061/]



The screenshot shows the Windows PowerShell ISE interface. The top menu bar includes 'Archivo', 'Editar', 'Ver', 'Herramientas', 'Depurar', 'Complementos', and 'Ayuda'. The toolbar contains icons for file operations, editing, and execution. The script editor shows a file named 'Sin título1.ps1' with the following PowerShell code:

```
1 $text="abcdefghij abcd"
2 $e=""
3 foreach ($line in $text) {
4     $n=""
5     $n+= foreach ($word in ($line.Split()))
6     {
7         $chars = for ($i=0;$i -lt $word.length;$i++)
8         {
9             $x=$word[$i]
10            $x=[char]::ConvertToUtf32("$x",0)
11            [int]$y=$x+8
12            [char]::ConvertFromUtf32($y)
13        }
14        $chars -join ""
15    }
16    $e+=$n
17 }
18 $e
```

The console window shows the execution of the script, displaying the same code and the final output:

```
PS D:\> $text="abcdefghij abcd"
$e=""

foreach ($line in $text) {
    $n=""
    $n+= foreach ($word in ($line.Split()))
    {
        $chars = for ($i=0;$i -lt $word.length;$i++)
        {
            $x=$word[$i]
            $x=[char]::ConvertToUtf32("$x",0)
            [int]$y=$x+8
            [char]::ConvertFromUtf32($y)
        }
        $chars -join ""
    }
    $e+=$n
}
$e
ijklmnopqr ijkl

PS D:\>
```

The status bar at the bottom indicates 'Completado' (Completed) and shows the cursor position as 'Lín. 2 Col. 6' with a zoom level of '100 %'.