

Ejecutar un script de JavaScript en Internet Explorer mediante PowerShell

[crayon-6a9d576edf24b855101374/]

The screenshot shows the Windows PowerShell Integrated Scripting Environment (ISE) window. The title bar reads "Windows PowerShell ISE". Below it is a menu bar with options: Archivo, Editor, Ver, Herramientas, Depurar, Complementos, Ayuda. A toolbar contains various icons for file operations, editing, and running scripts. The main editor pane has a tab labeled "Sin título1.ps1*" and contains a PowerShell script:

```
1 $ie = New-Object -com "InternetExplorer.Application"  
2 $ie.Navigate("about:blank")  
3 $ie.visible = $true  
4  
5 $ie.document.write("<script>alert('\"'holo\"') </script>")  
6 $doc = $ie.Document
```

The bottom console pane displays the output of the script execution:

```
PS C:\Windows\System32> $ie = New-Object -com "InternetExplorer.Application"  
$ie.Navigate("about:blank")  
$ie.visible = $true  
  
$ie.document.write("<script>alert('\"'holo\"') </script>")  
$doc = $ie.Document  
  
PS C:\Windows\System32>
```

The status bar at the bottom indicates "Lín. 6 Col. 20" and a zoom level of "100 %".



about:blank



Página en blanco



Mensaje de página web



hola

Aceptar